



Thermal Transfer Ribbons



UNION CHEMICAL CO., LTD.




Thermal Transfer Ribbons

LINE UP

Flat Head




Scratch/
Smudge



Near Edge/ TTO



Scratch/
Smudge



USE



BARCODE



FLEXIBLE PACKAGE



TAG



PHARMACEUTICAL



CARD



NAMEPLATE

Smudge & Heat



Excellent



Good



Average

LINE UP



Characteristic



Use



Receiver



Ribbon Thickness (µm)



Darkness



Print Speed (mm/sec)



Smudge



Heat



Solvent

Wax

Flat Head

UN250

Versatility



Paper
Synthetic Paper

7.7

1.9

300

△

△

-

UN260

Versatility



Paper
Synthetic Paper

7.7

1.9

300

△

△

-

UN500

Versatility



Paper
Synthetic Paper
PET

8.1

1.6

200

△

△

-

Wax Resin

Flat Head

US200

Premium



Paper
Synthetic Paper
PET

8.5

1.9

200

○

△

-

US150

Ultra Premium



Paper
Synthetic Paper
PET

10.0

1.6

200

○

△

-

Near Edge / TTO

US770

Scratch & Speed



Paper
Synthetic Paper
PP, PE, PET, NY

7.0

1.7

800

○

△

-

US774

Scratch & High Speed



Paper
Synthetic Paper
PP, PE, PET, NY

6.0

1.7

1000

○

△

-

US900

Scratch & Darkness



Paper
Synthetic Paper
PP, PE, PET, NY

7.0

1.8

500

○

△

-

US884

Scratch & Smudge



Synthetic Paper
PP, PE, PET, NY

6.0

1.7

750

○

△

-

Resin

Flat Head

UH100

Heat (up to 200°C)



Paper
Synthetic Paper
TAG

7.5

1.7

150

◎

◎

-

US310

Scratch Chemical



Synthetic Paper
PVC, PET,
Silver matte

6.7

1.8

200

◎

○

Alcohol
Oil

US350

Card



Synthetic Paper
PVC, PET

7.0

1.7

100

◎

○

Alcohol
Oil
Gasoline

US380

Scratch Chemical



Synthetic Paper, PET
Silver matte

7.0

1.8

100

◎

○

Alcohol
Oil
Gasoline

Near Edge / TTO

UH710

Heat (up to 180°C)



Paper
PP, PE, PET, NY, TAG

6.5

1.5

400

◎

◎

-

US550

Sensitive Boil



Synthetic Paper
PP, PE, PET, NY

6.5

1.5

300

◎

○

-

US780

Boil



Synthetic Paper
PET, NY

6.5

1.6

250

◎

◎

-

US574

Smudge



PP, PE, PET, NY

6.0

1.8

250

◎

○

Oil

UX104

High Speed



PET, NY

7.0

1.8

400

◎

○

Oil

We offer superlative products with a full of wealth
of hard-won expertise in our 100 years history.



UNION CHEMICAL CO., LTD.

3-10 Shodai Tajika, Hirakata, Osaka 573-1132, JAPAN
TEL: +81-72-856-3321 FAX: +81-72-856-3378
<https://www.union-c.com/en> E-mail: info2@union-c.com



WEB SITE



Instagram



Facebook